



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/808,316	03/14/2001	Rene Kiesewetter	Mo-6051/WW-5571	3729

34947 7590 03/24/2003

BAYER CHEMICALS CORPORATION
100 BAYER ROAD
PITTSBURGH, PA 15205

EXAMINER

MARCANTONI, PAUL D

ART UNIT	PAPER NUMBER
----------	--------------

1755

DATE MAILED: 03/24/2003

9

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: ASSISTANT COMMISSIONER FOR PATENTS

Washington, D.C. 20231

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO. <i>HG</i>
<i>09/808,316</i>	<i>3/14/01</i>	<i>KIEREWETTER et al.</i>	<i>MO-6051/WW-5571</i>
EXAMINER			
<i>Paul Marcantoni</i>			
ART UNIT		PAPER	
<i>1755</i>		<i>9</i>	

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

The reply filed on 1/16/03 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):
The applicants did not elect a specific building material as was required in the election requirement mailed 11/22/02. See claim 6 for the listing of building materials applicants must elect from in their next response. By electing a specific building material including cellulose ether, the applicants would be fully responsive. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Paul Marcantoni
Primary Examiner
Art Unit: 1755